(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 15.05.2002 Bulletin 2002/20 (51) Int Cl.7: A23L 1/226

(21) Application number: 01308649.1

(22) Date of filing: 10.10.2001

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 09.11.2000 US 710452

(71) Applicant: INTERNATIONAL FLAVORS & FRAGRANCES INC.
New York New York 10019 (US)

(72) Inventors:

Grainger, Brian T.
 County of Somerset, New Jersey 08540 (US)

Christensen, Gary W.
 Neptune, County of Monmouth, NJ 07753 (US)

Kleinhenz, Robert J.
 County of Monmouth, New Jersey 08535 (US)


(74) Representative: Richardson, Kate et al Forrester & Boehmert, Pettenkoferstrasse 20-22 80336 München (DE)

(54) Oral sensory perception-affecting compositions containing dimethyl sulfoxide

- (57) Described are oral sensory perception-affecting compositions containing dimethyl sulfoxide, complexes thereof and salts thereof, specifically:
 - (i) dimethyl sulfoxide; and
 - (ii) a second compound or group of compounds:
 - (a) containing at least one menthyl moiety; and/or
 - (b) containing at least one vanilly moiety; and/or
 - (c) containing at least one carboxam-

ide moiety

when the weight ratio of "second compound(s)": dimethyl sulfoxide, is in the range of from about 1,000:1 down to about 3:10 and food grade acceptable salts thereof. Also described are oral sensory perception-affecting (e.g., "coolant")-imparting consumable articles (e.g., mouthwashes and the like) comprising a consumable article base and at least one of the aforementioned oral sensory perception-affecting compositions. Also described are complexes of (i) dimethyl sulfoxide and (ii) at least one of the aforementioned second compounds or group(s) of compounds.



Best Available Copy

EP 1 205 116 A2

Description

5

10

15

20

25

40

45

[0001] Our invention relates to oral sensory perception-affecting compositions containing dimethyl sulfoxide, complexes thereof and salts thereof, specifically comprising (i) dimethyl sulfoxide and (ii) a second compound or group of compounds:

- (a) containing at least one menthyl moiety; and/or
- (b) containing at least one vanillyl moiety; and/or
- (c) containing at least one carboxamide moiety.

The term "oral sensory perception-affecting compositions" is intended to cover "coolant compositions" as well as "heat compositions."

[0002] Compositions containing compounds producing a cooling sensation, specifically hydroxy methyl or hydroxy ethyl derivatives of paramenthane are disclosed in U.S. Letters Patent No. 4,029,759. Such compositions are disclosed to be useful, for example, for spearmint flavor used in toothpastes, as well as other ingestible materials such as margarine and the like. Breath freshening edible compositions of menthol and a carboxamide are disclosed in U.S. Letters Patent No. 5,009,893. "Hot, tingling, burning, numbing* causing sensations by use of 4-(1-menthoxymethyl)-2-phenyl-1,3-dioxolane or a derivative thereof is disclosed in U.S. Letters Patent No. 5,545,424 issued on August 13, 1996. Combinations of coolant compositions comprising a ketal and a secondary coolant which may be menthol are disclosed in PCT Application No. 93/23005 published on November 25, 1993. Production of chewing gum containing controlled release acyclic carboxamides as cooling agents are disclosed in PCT Application No. 99/13870 published on March 25, 1999. Chewing gum production using modified, physiological cooling agents, to wit: menthol, menthone and a carboxamide or a ketal or a diol or a succinate or mixtures of same, are disclosed in PCT Application No. 99/13734 published on March 25, 1999.

[0003] However, there exists an ongoing need to provide enhancement of such "hot" sensations or such "cooling" sensations in various edible compositions, including beverages, toothpastes, throat lozenges, mouthwashes, dental floss, chewing gums, edible films such as breath freshener films and chewable pharmaceutical products, particularly wherein such "enhancement" raises the level of the "hot" or "cooling" sensation on ingestion of the edible composition, on a scale of 0-10, from about 2 up to about 10. The provision of such enhancement properties has heretofore been unknown and not implied in any prior art. Accordingly, nothing in the prior art sets forth the use of combinations of dimethyl sulfoxide with compounds containing at least one menthyl moiety, compounds containing at least one vanillyl moiety and/or compounds containing at least one carboxamide moiety in order to enhance oral sensory perception, including "hot" sensations and "cool" sensations.

[0004] Indeed, the use of dimethyl sulfoxide in foodstuffs and the presence of dimethyl sulfoxide in foodstuffs is well known. Thus, dimethyl sulfoxide is set forth in the TNO Nutrition and Food Research Institute's Volatile Compounds in Food/Qualitative and Quantitative Data, Seventh Edition 1996 (Editors: L.M. Nijssen, et al.) at page 8 under CAS No. 67/68/5. Dimethyl sulfoxide is also on the GRAS list as published in GRAS Flavoring Substances 18, the 18th publication by the Flavor and Extract Manufacturers' Association's Expert Panel on recent progress in the consideration of the flavoring ingredients generally recognized as safe for use in food (reference: Cooked Food Technology, September 1998, Volume 52, No. 9 (GRAS No. 3875)) (also called "methyl sulfoxide," "DMSO" and "methyl sulfinyl methane." Nothing in the prior art discloses the effect of dimethyl sulfoxide on other sensory affecting agents, particularly oral sensory perception-affecting compositions such as coolant compositions or "hot, burning, bitter" compositions.

THE INVENTION

[0005] Our invention is directed to oral sensory perception-affecting compositions containing dimethyl sulfoxide, complexes thereof and salts thereof, specifically comprising:

(i) dimethyl sulfoxide having the structure:

; and

5

10

15

20

25

30

35

40

45

50

55

- (ii) a second compound or group of compounds:
 - (a) containing at least one menthyl moiety; and/or
 - (b) containing at least one vanilly! moiety; and/or
 - (c) containing at least one carboxamide moiety,

wherein the weight ratio of "second compound(s)": dimethyl sulfoxide, is in the range of from about 1,000:1 down to about 3:1 and food grade acceptable salts thereof.

[0006] Our invention also covers oral sensory perception-affecting compositions (e.g., "coolants")-imparting consumable articles (e.g., beverages, toothpastes, throat lozenges, mouthwashes, dental floss, chewing gums, edible films and chewable pharmaceutical products). The sensory-affecting consumable articles having intensified and substantive sensory-affecting properties such as oral cooling properties and oral heating properties comprise (i) an ultimate product base and intimately admixed therewith (ii) a composition comprising (a) dimethyl sulfoxide and (b) a second compound or mixture of compounds selecting from the group consisting of compounds:

- (a) containing at least one menthyl moiety; and/or
- (b) containing at least one vanillyl moiety; and/or
- (c) containing at least one carboxamide moiety

wherein the weight ratio of second compound or group of compounds: dimethyl sulfoxide, is in the range of from about 1,000:1 down to about 3:10 and food grade acceptable salts thereof, wherein the concentration of dimethyl sulfoxide based on the weight of ultimate product is from about 0.05 up to about 200 parts per million (ppm) and the concentration of second compound or group of compounds or mixture of compounds is from about 2 ppm up to about 10,000 ppm on a mixed basis.

[0007] Examples of the "second compound" to be admixed with the dimethyl sulfoxide forming the mixtures of our invention are as follows:

menthol having the structure:

WS 23® (registered trademark of the Warner Lambert Company) having the structure:

menthyl succinate having the structure:

the

OH C OH

the monomenthyl ether of glycerin having the structure:

OH

WS 3® (registered trademark of the Warner Lambert Company) having the structure:

the compound having the structure:

40 .

the compound having the structure:

the compound having the structure:

15 the compound having the structure:

10

20

25

30

35

40

45

50

55

 R_{12}

the compound having the structure:

R₁₃

the compound having the structure:

the compound having the structure:

the coumpound having the structure:

and the coumpound having the structure :

[0008] When dimethyl sulfoxide having the structure:

is admixed with such "second compound(s)," the resulting mixture as stated, supra, has a highly intensified oral sensory perception effect, for example, a "highly intensified cooling effect" or a "highly intensified hot, burning effect." Such effects are highly desirable in the use of certain oral care products such as mouthwashes, toothpastes and the like as set forth, supra. Thus, the following Table I sets forth a comparison of a "control" which is a "second compound" taken alone vs. the mixture of dimethyl sulfoxide with the said "second compound":

TABLE I

"Second Compounds"	Second Compound (ppm)	Dimethyl Sulfoxide (DMSO) (ppm)	Effect of Mixture vs. Control Comparison or a Scale 0-10
Menthol	5	0.1	increase in perceived cooling - 8 vs. 1.5
Menthol	10	. 1	increase in perceived cooling - 9 vs. 1.3
Menthol	30	5	increase in perceived cooling - 9.5 vs. 1.1
Menthol	100	10	increase in perceived cooling - 8.7 vs. 2
Menthyl lactate	30	0.1	increase in perceived cooling - 8.4 vs. 1.7
Menthyl lactate	30	100	increase in perceived cooling - 8.2 vs. 2.1
Monomenthyl succinate	100	0.1	increase in perceived cooling - 9.1 vs. 3.8

EP 1 205 116 A2

TABLE I (continued)

5	"Second Compounds"	Second Compound (ppm)	Dimethyl Sulfoxide (DMSO) (ppm)	Effect of Mixture vs. Control Comparison on a Scale 0-10
	Monomenthyl succinate	100	100	increase in perceived cooling - 8.7 vs. 2.5
10	50-50 (weight-weight) Mixture of mono- and dimenthyl glutarates	100	0.1	increase in perceived cooling - 9.6 vs. 3.3
	50-50 (weight-weight) Mixture of mono- and dimenthyl glutarates	100	100	increase in perceived cooling - 9.4 vs. 3.2
15	WS 3® 1	30	0.1	increase in perceived cooling - 9.3 vs. 1.5
	WS 3® 1	30	100	increase in perceived cooling - 9.0 vs. 1.6
20	WS 23® ²	30	0.1	increase in perceived cooling - 9.6 vs. 2.4
	WS 23® ²	30	100	increase in perceived cooling - 9.2 vs. 2.2
25	TAKOOL® ³	30	0.1	increase in perceived cooling - 8.6 vs. 2.8
	TAKOOL® ³	30	100	increase in perceived cooling - 8.2 vs. 2.6

Notes: 1 WS 3® is a registered trademark of the Warner Lambert Company;

$$R_{12}$$

wherein R_{11} , R_{12} and R_{13} each represent hydrogen. [0009] When the second compounds are defined according to the structures:

30

35

40

45

² WS 23® is a registered trademark of the Warner Lambert Company; and

³ TAKOOL® is a registered trademark of Takasago International Corporation of Tokyo, Japan and has the structure:

and

· 40


R₁₁
R₁₂
R₁₃

R₁₁, R₁₂ and R₁₃ each represents the same or different hydrogen, methyl, ethyl, n-propyl or isopropyl. Such compounds are set forth in U.S. Letters Patent No. 5,545,424, the specification for which is incorporated by reference herein. [0010] The following Table II sets forth the effect in a screening base, in this case: silica toothpaste base containing 0.4% saccharin of various "second compounds" in admixture with dimethyl sulfoxide, as follows:

TABLE II

Use	Level of 2 nd Compour	nd ppm DMSO Observ	ved Effect Scaled at	1-10
Screening Base	2 nd Compound (Coolant)	Use Level of 2 nd Compound	ppm Dimethyl Sulfoxide (DMSO)	Observed Effect Scaled at 1-10 vs 2 nd Compound Alone
Silica toothpaste base with 0.4% saccharin	Menthol	0.50%	1	increase in perceived cooling 8.2 vs. 1.6
Silica toothpaste base with 0.4% saccharin	Monomenthyl succinate	100 ppm	0.1	increase in perceived cooling 9.0 vs. 3.5
Silica toothpaste base with 0.4% saccharin	Monomenthyl succinate	100 ppm	1	increase in perceived cooling 9.2 vs. 3.7
Silica toothpaste base with 0.4% saccharin	50-50 (Weight- weight) mono-and dimenthyl glutarates	100 ppm	0.1	increase in perceived cooling 9.7 vs. 3.4
Silica toothpaste base with 0.4% saccharin	50-50 (Weight- weight) mono-and dimenthyl glutarates	100 ppm	1	increase in perceived cooling 9.6 vs. 3.3
Silica toothpaste base with 0.4% saccharin	WS 3®	30 ppm	0.1	Increase in perceived cooling 9.1 vs. 1.7
Silica toothpaste base with 0.4% saccharin	WS 3®	30 ppm	1	increase in perceived cooling 9.0 vs. 1.6
Silica toothpaste base with 0.4% saccharin	WS 23®	30 ppm	0.1	increase in perceived cooling 9.8 vs. 2.4
Silica toothpaste base with 0.4% saccharin	WS 23®	30 ppm	1	increase in perceived cooling 9.9 vs. 2.6

[0011] More specifically, our invention includes coolant compositions having intensified and substantive cooling properties, as well as heat sensation-imparting compositions having intensified and substantive heat-imparting properties, consisting essentially of a product produced by the step of admixing dimethyl sulfoxide having the structure:




with at least one coolant or heat sensation-imparting compound having a formula selected from the group consisting of: X-A-H; X-A-B₁; and

$$\left[X - A^{\Theta}\right]_{N} \left[B_{2}^{+N}\right]$$

wherein the weight ratio of "coolant" or "heating" compound, dimethyl sulfoxide, is from 1,000:1 up to 3:10 and wherein X represents menthyl having the structure:

or vanilly! having the structure:




or a moiety having the structure:

. 25

and a moiety having the structure:

or menthoxy maleyl, succinyl, glutaryl or the like having the structure:




wherein m is an integer of from 1 up to 4; or n-butyl having the structure:

or 2,3,4-trimethyl-3-pentyl having the structure:


or 2,4-dimethyl-3-hexyl having the structure:

or menthoxy lactyl having the structure:



wherein A represents a divalent ether or alcohol linkage having the structure:

or a divalent carbonyl linkage having the structure:



wherein B₁ represents one of the moieties:

wherein R₁₁, R₁₂ and R₁₃ are each the same or different and each represents hydrogen and C₁-C₃ lower alkyl, that is, methyl, ethyl, n-propyl or i-propyl; and wherein B₂ represents one of the cations:

$$\left\lceil NH_{4}^{+}\right\rceil ; \left\lceil Ca^{++}\right\rceil ; \left\lceil Na^{+}\right\rceil ; \left\lceil Mg^{++}\right\rceil ; \text{and/or} \left\lceil K^{+}\right\rceil$$

and wherein N represents an integer of 1 or 2.


[0012] Examples of the compounds represented by the structure: X-A-H are as follows:

55

45

and

25 [0013] Another example of a compound represented by the structure: X-A-H is the compound having the structure:



[0014] Examples of compounds represented by the structure: X-A-B₁ are as follows:

45

50

(wherein R_{11} , R_{12} and R_{13} are the same or different and each represents hydrogen or C_1 - C_3 lower alkyl);

N-H

$$R_{12}$$

Examples of compounds represented by the structure:

$$\left[X - A^{\Theta}\right]_{N} \left[B_{2}^{+N}\right]$$

are as follows:

10

15

25

$$\begin{array}{c}
30 \\
35 \\
40
\end{array}$$

50

.45

(wherein N is 1 or 2 and wherein M represents one of the cations:

10

15

20

25

30

35

40

$$\left[NH_{4}^{+}\right]; \left[Ca^{++}\right]; \left[Na^{+}\right]; \left[Mg^{++}\right];$$
 and/or $\left[K^{+}\right]$

[0015] When the dimethyl sulfoxide is in admixture with one of the compounds represented by one of the structures: X-A-H; $X-A-B_1$; and/or

$$\left[X - A^{\ominus}\right]_{N} \left[B_{2}^{+N}\right].$$

then complexes are formed exemplified by those having the following structures:

45

$$H_3C$$
 CH_3
 CH_3

^^

$$CH_3$$
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3

. 10

H₃C CH₃

$$CH_3$$
 CH_3
 CH_3

..

(wherein M is a cation as defined, supra; and N is an integer of 1 or 2);

$$[CH_2]_p = 0$$

$$[Ca^{+}]$$

$$G_{CH_3}$$

$$G_{CH_3}$$

25 (wherein p is an integer of from 1 up to 3);

35
$$C = --- H$$

$$C = --- S = CH_3$$

$$CH_3$$

$$R_{12}$$

55

.10

25 and

$$H_3C$$
 H_3C
 $G=--\Theta$
 $G=--\Theta$

[0016] Such complexes are shown using the generic formulae:


$$X - A = B_{\bullet}$$
 H_3C
 CH_3
 CH_3

and

10

15

[0017] Generic reactions to form said complexes are as follows:



and

[0018] A specific reaction to form such a complex is set forth as follows:

40
$$C = \begin{pmatrix} C \\ C \\ H_3 \end{pmatrix}$$

$$C = \begin{pmatrix} C \\ H_3 \end{pmatrix}$$

whereby the complex having the structure:

is formed.

10

15

20

25

30

35

45

50

55

[0019] In each of the consumable articles produced according to our invention, that is, in the beverages, toothpastes, throat lozenges, mouthwashes, dental floss, chewing gums, edible films and chewable pharmaceutical products of our invention, the concentration of dimethyl sulfoxide (on a premixed basis) based on the weight of ultimate product is from about 0.05 up to about 200 ppm. In each of the consumable articles of our invention, the concentration of second compound, that is one of the compounds having one of the structures: X—A—H; X—A—B₁;and/or

$$\left[X - A^{\Theta}\right]_{N} \left[B_{2}^{+N}\right]$$

on a premixed basis, based on the weight of the ultimate product, is from about 2 up to about 10,000 ppm.

[0020] An example of a breath freshener film is one produced from pullulan and modified starches containing 5% actives as produced by the Warner Lambert Company. Another example is HERB LEAF® produced by the Ha-Buri-Fu K.K. Organization of Japan under the trademark HERB LEAF® (registered trademark of the Ha-Buri-Fu K.K. Organization), specifically described in Japanese Patent No. 1843452, the specification for which is incorporated by reference herein. Other examples of products wherein the compositions of our invention are useful are as follows:

- (a) toothpaste as disclosed in Examples 6-10 of U.S. Letters Patent No. 4,029,759 issued on June 14, 1977, the specification for which is incorporated by reference herein;
- (b) chewing gum compositions as set forth in Example 1 at column 10 of U.S. Letters Patent No. 5,009,893 issued on April 23, 1991, the specification for which is incorporated by reference herein;
- (c) hard candy (formed into throat lozenges) as exemplified in Example 4 of U.S. Letters Patent No. 5,545,424 issued on August 13, 1996, the specification for which is incorporated by reference herein;
- (d) mouth rinse formulations as set forth in Examples 3 and 4 of PCT Application No. WO 93/23005 published on November 25, 1993, the specification for which is incorporated by reference herein:
- (e) sugarless gums as set forth in Examples 30-37 in Table 7 of PCT Application No. WO 99/13870 published on March 25, 1999, the specification for which is incorporated by reference herein; and
- (f) chewing gums as exemplified in Examples 6-10 in Table 3 of PCT Application No. WO 99/13734 published on March 25, 1999, the specification for which is incorporated by reference herein.

BRIEF DESCRIPTION OF THE DRAWINGS

[0021] Figure 1 is and ultraviolet - visible spectrum for a 1:1 mixture of dimethyl sulfide having the structure:

H₃C / S CH₃

:menthyl glutarates, a mixture of compounds having the structure:

and

5

15

20

30

35

40

45

50

(solvent: methanol; concentration: 0.01%; wavelength range: 190-820 nm).

[0022] Figure 1A is an ultraviolet spectrum (only) for a 1:1 mixture of dimethyl sulfoxide:menthyl glutarates (conditions: methanol solvent at a concentration of 0.01%; wavelength range: 190-400 nm).

[0023] Figure 2 is an ultraviolet-visible spectrum for a 10:1 mixture of dimethyl sulfoxide:menthyl glutarates (conditions: methanol solvent at a 1% concentration; wavelength range: 190-820 nm).

[0024] Figure 2A is an ultraviolet (only) spectrum for a 10:1 mixture of dimethyl sulfoxide:menthyl glutarates mixture (conditions: methanol solvent at a 1% concentration; wavelength range: 190-400 nm).

[0025] Figure 3 is an ultraviolet-visible spectrum for a 1:1 mixture of dimethyl sulfoxide:WS 3® (registered trademark of the Warner Lambert Company) having the structure:

(conditions: methanol solvent at a concentration of 0.01%; wavelength range: 190-820 nm).

[0026] Figure 3A is an ultra violet spectrum (only) for a 1:1 mixture of dimethyl sulfoxide:WS 3® (conditions: methanol solvent at a concentration of 0.01%; wavelength range: 190-400 nm).

[0027] Figure 4 is an ultraviolet-visible spectrum (only) for a 10:1 mixture of dimethyl sulfoxide:WS 3® (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-820 nm).

[0028] Figure 4A is an ultraviolet spectrum (only) for a 10:1 mixture of dimethyl sulfoxide: WS 3® (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-400 nm).

[0029] Figure 5 is an ultraviolet-visible spectrum for dimethyl sulfoxide (only) (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-820 nm).

[0030] Figure 5A is an ultraviolet spectrum (only) for dimethyl sulfoxide (only) (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-400 nm).

[0031] Figure 6 is an ultraviolet-visible spectrum for menthyl glutarates (only) (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-820 nm).

[0032] Figure 6A is an ultraviolet spectrum (only) for menthyl glutarates (only) (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-400 nm).

[0033] Figure 7 is an ultraviolet-visible spectrum for WS 3® (only) (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-820 nm).

[0034] Figure 7A is an ultraviolet spectrum (only) WS 3® (only) (conditions: methanol solvent at a concentration of 1.0%; wavelength range: 190-400 nm).

[0035] Figure 8A is an ultraviolet spectrum (only) for a 1:1 mixture of dimethyl sulfoxide:menthyl glutarates at a pH of 10 (conditions: aqueous solvent at pH of 10 at a concentration of 1.0%; wavelength range: 190-400 nm).

[0036] Figure 8B is an ultraviolet spectrum (only) for dimethyl sulfoxide (only) at a pH of 10 (conditions: aqueous solvent at a pH of 10 at a concentration of 1.0%; wavelength range: 190-300 nm).

[0037] Figure 8C is an ultraviolet spectrum (only) for a menthyl glutarates (only) at a pH of 10 (conditions: aqueous solvent at a pH of 10 at a concentration of 1.0%; wavelength range: 180-400 nm).

DETAILED DESCRIPTION OF THE DRAWINGS

[0038] Referring to Figure 1, the Y axis is for absorbents and the X axis is for wavelength. The Y axis is indicated by reference numeral 14 and the X axis is indicated by reference numeral 12.

[0039] Figure 1A is an enlargement of section "A" of Figure 1. The peak indicated by reference numeral 10 is the peak for the absorbents in the ultraviolet range of the 1:1 mixture of dimethyl sulfoxide:menthyl glutarates. Complexes formed as a result of the interaction of the dimethyl sulfoxide with menthyl glutarates have the following structures:

45

10

20

30

40 and

[0040] In Figures 2 and 2A (with Figure 2A being an enlargement of section "A" of Figure 2), the peak indicated by reference numeral 20 is the peak for the ultraviolet absorbtivity of the 10:1 dimethyl sulfoxide mentyl glutarates mixture. [0041] In Figures 3 and 3A (with Figure 3A being an enlargement of section "A" of Figure 3), the peak indicated by reference numeral 30 is the peak for the 1:1 mixture of dimethyl sulfoxide:WS 3®. The complexes formed as a result of the interaction of dimethyl sulfoxide with WS 3® are as follows:

$$H_3$$
C CH_3
 CH_3

[0042] In Figures 4 and 4A, the peak indicated by reference numeral 40 is the peak for the ultraviolet absorbtivity of the resulting material produced by admixing dimethyl sulfoxide with WS 3® in a weight ratio of 10:1. Figure 4A is an enlargement of section "A" of Figure 4.

[0043] In Figures 5 and 5A, the peak indicated by reference numeral <u>50</u> is the peak for the ultraviolet absorbtivity of dimethyl sulfoxide alone. Figure 5A is an enlargement of section "A" of Figure 5.

[0044] In Figures 6 and 6A, the peak indicated by reference numeral 60 is the peak for the ultraviolet absorbtivity of menthyl glutarates. Figure 6A is an enlargement of section "A" of Figure 6.

[0045] In Figures 7 and 7A, the peak indicated by reference numeral $\underline{70}$ is the peak for the ultraviolet absorbtivity of WS 3® having the structure:




Figure 7A is an enlargement of section "A" of Figure 7.

[0046] In Figure 8A, the peak indicated by reference numeral 80 is the peak for the ultraviolet absorbants of the mixture of dimethyl sulfoxide and menthyl glutarates at a pH of 10 in the aqueous phase. In Figure 8B, the peak indicated by reference numeral 82 is the peak for the ultraviolet absorbtivity at a pH of 10 of dimethyl sulfoxide alone. In Figure 8C, the peak indicated by reference numeral 84 is the peak for the ultraviolet absorbtivity for menthyl glutarates at a pH of 10, alone.

[0047] In the foregoing descriptions of the drawings, when using the term "menthyl glutarates" it is to be understood that "menthyl glutarates" is a 70:30 mixture monomenthyl glutarate having the structure:

50

30

and dimenthyl glutarate having the structure:

[0048] The following examples are given to illustrate embodiments of the invention as it is preferred to practice it. It will be understood that these examples are illustrative, and the invention is not to be considered as restricted thereto, except as indicated in the appended claims.

EXAMPLE I

ORAL HYGIENE FLAVOR FORMULATION

[0049] The following basic oral hygiene flavor formulation is prepared:

Ingredients	Parts by Weight
Peppermint oil	89.0
Spearmint oil	2.0
Clove oil	1.0
Anethol	2.0
Cardamom oil	0.1
Wintergreen oil	5.0
Cinnamic aldehyde	0.9
Aspartame having the structure:	0.05
NH ₂	

[0050] The basic oral hygiene flavor formulation is now divided into two parts. To the first part, a 1:50 mixture of dimethyl sulfoxide:menthyl succinate having the structure:

is added at the rate of 10%. To the second part, nothing is added. The flavor with the addition of the dimethyl sulfoxide: menthyl succinate mixture gives rise to a fresher, sweet, licorice, anise oil, spicy aroma and taste characteristics with aesthetically pleasing "cooling" nuances. The peppermint characteristics also appear to be enhanced. The flavor without the dimethyl sulfoxide:menthyl succinate mixture has an unpleasant aftertaste, which is not present in the mixture containing the dimethyl sulfoxide:menthyl succinate mixture. Accordingly, the dimethyl sulfoxide:menthyl succinate-containing composition is preferred by a five member bench panel.

EXAMPLE II

10

15

20

25

30

35

40

55

LICORICE CHEWING STICK

[0051] A flexible licorice stick is prepared in a standard manner. Prior to hardening at the level of 0.05 ppm, asparlame having the structure:

is added to the molten mixture. Also prior to hardening at the level of 6 ppb, a mixture of 2 parts dimethyl sulfoxide:20 parts menthyl lactate is added to the molten mixture. The molten mixture is molded into licorice sticks and hardened for marketing. Each of the licorice sticks has a pleasant, powerful, natural-like licorice anisic. China star anise oil flavor with intense and substantive "cooling" nuances. None of the licorice sticks have a bitter aftertaste. In the absence of the use of the composition which is a mixture of dimethyl sulfoxide and menthyl lactate, each of the licorice sticks, on consumption, does not have any "cooling" nuances imparted in the oral cavity and has a bitter aftertaste. Furthermore, the natural sweetness of each of the licorice sticks is enhanced as a result of the use of the mixture of dimethyl sulfoxide and menthyl lactate.

[0052] Preferably, when the dimethyl sulfoxide is admixed with the second sensory perception-affecting compound in order to form the compositions of our invention, the temperature of mixing is between about 15°C up to about 30°C at a pressure of from about 0.5 atmospheres up to about 2 atmospheres.

Claims

10

15

20

25

30

35

40

50

55

- 1. A composition comprising (i) dimethyl sulfoxide and (ii) at least one second compound selected from the group consisting of:
 - (a) a compound containing at least one menthyl moiety;
 - (b) a compound containing at least one vanillyl moiety; and
 - (c) a compound containing at least one carboxamide moiety

wherein the weight ratio of second compound: dimethyl sulfoxide, is in the range of from about 1,000:1 down to about 3:10 and food grade acceptable salts thereof.

- 2. An oral sensory perception-imparting beverage comprising an aqueous beverage base and admixed therewith in a sensory perception-imparting quantity and concentration, the composition of Claim 1.
- 3. An oral sensory perception-imparting chewing gum comprising a chewing gum base and admixed therewith in an oral sensory perception-imparting quantity and concentration, the composition of Claim 1.
- 4. An oral sensory perception-imparting consumable article having intensified and substantive oral sensory perception-imparting properties, which is an ultimate product selected from the group consisting of beverages, tooth-pastes, throat lozenges, hard candies, mouthwashes, dental floss, chewing gums, edible films and chewable pharmaceutical products comprising:
 - (i) an ultimate product base and intimately admixed therewith
 - (ii) the composition of Claim 1

wherein the concentration of dimethyl sulfoxide based on the weight of ultimate product is from about 0.05 up to about 200 ppm, and the concentration of second compound is from about 2 up to about 10,000 ppm on a premixed basis.

- 5. A complex of (i) dimethyl sulfoxide and (ii) at least one compound selected from the group consisting of:
 - (a) menthyl moiety-containing compounds;

(b) vanillyl moiety-containing compounds; and

5

10

15

20

25

35

40

45

50

55

(c) carboxamide moiety-containing compounds;


ingestible alkali metal and alkaline earth metal salts thereof; and ingestible alkaline earth metal polymers thereof.

6. An oral sensory perception-imparting composition having intensified and substantive oral sensory perception properties consisting essentially of a product produced by the step of admixing dimethyl sulfoxide having the structure:

with at least one second compound having a formula selected from the group consisting of: X-A-H; $X-A-B_1$; and

$$\left[X - A^{\ominus}\right]_{N} \left[B_{2}^{+N}\right]$$

wherein in the weight ratio of second compound: dimethyl sulfoxide, is from 1,000:1 up to 3:10;
wherein the step of admixing is carried out at a temperature of from 15°C up to 30°C at a pressure of from about 0.5 up to about 2 atmospheres; and wherein X is a menthyl moiety having the structure:




a vanillyl moiety having the structure:

a menthoxy maleyl, glutaryl or succinyl moiety defined according to the structure:

$$C + C + 2 = C$$

wherein m is an integer of from 1 up to 4; a menthoxy lactyl moiety having the structure:



a 2,4-dimethyl-3-hexyl moiety having the structure:

a 2,3,4-trimethyl-3-pentyl moiety having the structure:

a moiety having the structure:

and a moiety having the structure:

wherein A is a divalent ether oxygen moiety or alcohol oxygen moiety having the structure:

or a divalent carbonyl moiety having the structure:

; wherein B₁ is a moiety selected from the group consisting of:

$$R_{12}$$
 R_{13}

wherein R_{11} , R_{12} and R_{13} are each the same or different hydrogen or C_1 - C_3 lower alkyl; wherein the concentration of dimethyl sulfoxide based on the weight of ultimate product is from about 0.05 up to about 200 ppm and the concentration of second compound based on the weight of ultimate product is from about 2 up to about 10,000 ppm on a premixed basis; and wherein B_2 is a cation selected from the group consisting of:

$$\left\lceil NH_{4}^{+}\right\rceil ;\left\lceil Ca^{++}\right\rceil ;\left\lceil Na^{+}\right\rceil ;\left\lceil Mg^{++}\right\rceil ;\text{and/or }\left\lceil K^{+}\right\rceil$$

and N is an integer of 1 or 2.

15

40

50

- 7. An oral sensory perception-imparting consumable article having intensified and substantive oral sensory perception-imparting properties, which is an ultimate product selected from the group consisting of beverages, tooth-pastes, throat lozenges, hard candies, mouthwashes, dental floss, chewing gums, edible films and chewable pharmaceutical products comprising:
 - (i) an ultimate product base and intimately admixed therewith

(ii) the composition of Claim 6

wherein the concentration of dimethyl sulfoxide based on the weight of ultimate product is from about 0.05 up to about 200 ppm, and the concentration of second compound is from about 2 up to about 10,000 ppm on a premixed basis.

8. A complex having a structure selected from the group consisting of:

25 and

45 .

50

55

5

wherein X is a menthyl moiety having the structure:

a vanilly! moiety having the structure:


$$OCH_3$$

a menthoxy maleyl, glutaryl or succinyl moiety defined according to the structure:


$$C = CH_2 = C$$

wherein m is an integer of from 1 up to 4; a menthoxy lactyl moiety having the structure:

a 2,4-dimethyl-3-hexyl moiety having the structure:



a 2,3,4-trimethyl-3-pentyl moiety having the structure:



a moiety having the structure:

and a moiety having the structure:

wherein A is a divalent ether moiety having the structure:

or a divalent carbonyl moiety having the structure:

; wherein B₁ is a moiety selected from the group consisting of:

; and
$$R_{12}$$

wherein R_{11} , R_{12} and R_{13} are each the same or different hydrogen or C_1 - C_3 lower alkyl; wherein the concentration of dimethyl sulfoxide based on the weight of ultimate product is from about 0.05 up to about 200 ppm and the concentration of second compound based on the weight of ultimate product is from about 2 up to about 10,000 ppm on a premixed basis; and , and wherein B_2 is a cation selected from the group consisting of:

$$[NH_4^+]$$
; $[Ca^{++}]$; $[Na^+]$; $[Mg^{++}]$; and/or $[K^+]$

and N is an integer of 1 or 2.

9. A composition comprising

5

10

15

20

30

35

40

45

50

55

- (i) dimethyl sulfoxide; and
- (ii) at least one second compound selected from;
 - (a) a compound containing at least one menthyl moiety;
 - (b) a compound containing at least one vanillyl moiety;
 - (c) a compound containing at least one carboxamide moiety; or
 - (d) a compound having a formula selected from; X—A—H; X—A—B₁; and

$$\left[X - A^{\ominus}\right]_{N} \left[B_{2}^{+N}\right]$$

wherein X is a menthyl moiety having the structure;

a vanillyl moiety having the structure:


$$OCH_3$$

a menthoxy maleyl, glutaryl or succinyl moiety defined according to the structure:

$$C = C + 2$$

wherein m is an integer of from 1 up to 4; a menthoxy lactyl moiety having the structure:

a 2,4-dimethyl-3-hexyl moiety having the structure:




a 2,3,4-trimethyl-3-pentyl moiety having the structure:

a moiety having the structure:

and a moiety having the structure:

...



wherein A is a divalent ether oxygen moiety or alcohol oxygen moiety having the structure:

or a divalent carbonyl moiety having the structure:

$$\begin{bmatrix} 0 \\ c \end{bmatrix}$$

; wherein $\mathbf{B_1}$ is a moiety selected from the group consisting of:

$$\begin{array}{c|c} & & & \\ &$$


$$R_{12}$$


wherein R_{11} , R_{12} and R_{13} are each the same or different hydrogen or C_1 - C_3 lower alkyl; and wherein R_2 is a cation selected from the group consisting of:


$$\left[NH_{4}^{+} \right]$$
; $\left[Ca^{++} \right]$; $\left[Na^{+} \right]$; $\left[Mg^{++} \right]$; and/or $\left[K^{+} \right]$


and N is an integer of 1 or 2; and salts thereof.


- 10. A method of making a composition according to Claim 9 comprising the step of admixing (i) dimethyl sulfoxide with at least one compound as defined in part (ii) of Claim 9.
 - 11. A consumable article containing the composition of Claim 9.
- 12. A consumable article according to Claim 11 wherein the consumable article is a beverage, toothpaste, throat lozenge, hard candy, mouthwash, dental floss, chewing gum, edible film, or a chewable pharmaceutical product.

















































Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 1 205 116 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 12.11.2003 Bulletin 2003/46

(51) Int CI.7: **A23L 1/226**, A61K 7/16, A23L 2/26

(43) Date of publication A2: 15.05.2002 Bulletin 2002/20

(21) Application number: 01308649.1

(22) Date of filing: 10.10.2001

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE TR

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 09.11.2000 US 710452

(71) Applicant: INTERNATIONAL FLAVORS & FRAGRANCES INC.
New York New York 10019 (US)

(72) Inventors:

Grainger, Brian T.
 County of Somerset, New Jersey 08540 (US)

Christensen, Gary W.
 Neptune, County of Monmouth, NJ 07753 (US)

Kleinhenz, Robert J.
 County of Monmouth, New Jersey 08535 (US)

(74) Representative: Richardson, Kate et al Forrester & Boehmert, Pettenkoferstrasse 20-22 80336 München (DE)

(54) Oral sensory perception-affecting compositions containing dimethyl sulfoxide

- (57) Described are oral sensory perception-affecting compositions containing dimethyl sulfoxide, complexes thereof and salts thereof, specifically:
 - (i) dimethyl sulfoxide; and
 - (ii) a second compound or group of compounds:
 - (a) containing at least one menthyl moiety; and/or
 - (b) containing at least one vanilly moiety; and/or
 - (c) containing at least one carboxamide moiety

to about 3:10 and food grade acceptable salts thereof. Also described are oral sensory perception-affecting (e. g., "coolant")-imparting consumable articles (e.g., mouthwashes and the like) comprising a consumable article base and at least one of the aforementioned oral sensory perception-affecting compositions. Also described are complexes of (i) dimethyl sulfoxide and (ii) at least one of the aforementioned second compounds or group(s) of compounds.

thyl sulfoxide, is in the range of from about 1,000:1 down

when the weight ratio of "second compound(s)": dime-



EUROPEAN SEARCH REPORT

Application Number

EP 01 30 8649

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to daim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
Υ	DATABASE WPI Section Ch, Week 199727 Derwent Publications Ltd., London, GB; Class B04, AN 1997-289806 XP002254586 & CN 1 103 285 A (LI F),	1-12	A23L1/226 A61K7/16 A23L2/26
x	7 June 1995 (1995-06-07) * abstract *	1,5,10	
Y	US 5 288 497 A (HAGUE BRIAN ET AL) 22 February 1994 (1994-02-22) * column 10, line 9 - column 11, line 1: * column 16, line 50 - line 63; claims 1,182; examples 1,2 *	2 *	
Y	WO 99 30705 A (GARNER WILLIAM DARWIN ;GRIFFIN MARTIN J (US)) 24 June 1999 (1999-06-24) * claims 7-9 *	1-12	
Y,D	WO 93 23005 A (PROCTER & GAMBLE) 25 November 1993 (1993-11-25) * the whole document *	1-12	TECHNICAL FIELDS SEARCHED (Int.Cl.7) A23L A61K
D,Y	WO 99 13734 A (WITKEWITZ DAVID L ; WOLF FRED R (US); HOOK JEFFREY S (US); MCGRE G) 25 March 1999 (1999-03-25) * abstract * * page 19, line 8 - line 12 *	W 1-12	AOIN
D,Y	US 5 009 893 A (CHERUKURI SUBRAMAN R E AL) 23 April 1991 (1991-04-23) * abstract; table 1 *	T 1-12	
A	GB 1 432 354 A (WILKINSON SWORD LTD) 14 April 1976 (1976-04-14) * the whole document *	1-12	
	-/		
	The present search report has been drawn up for all claims		
	Place of search Date of completion of the sear		Examiner
	THE HAGUE 16 September	2003 Da	uksch, H
X : part Y : part docu	icularly relevant if taken alone E: earlier pais icularly relevant if combined with another D: document	rinciple underlying the ant document, but put ing date cited in the applicatio cited for other reasons	alished on, or n

EPO FORM 1503 03.02 (POJCO1)

A: technological background
O: non-written disclosure
P: intermediate document

[&]amp; : member of the same patent family, corresponding document



EUROPEAN SEARCH REPORT

Application Number

EP 01 30 8649

	DOCUMENTS CONSIDE	RED TO BE RELEVANT		
Category	Citation of document with in of relevant passa	dication, where appropriate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
Α .	US 4 353 896 A (LEV 12 October 1982 (198 * abstract; claim 1	32-10-12)	1-12	
A	US 5 753 270 A (BEAU AL) 19 May 1998 (199 * column 4, line 18		1-12	
A	PATENT ABSTRACTS OF vol. 1995, no. 02, 31 March 1995 (1995 & JP 06 321743 A (S) 22 November 1994 (19 * abstract *	-03-31) ANKYO CO LTD),	1-12	
D,A	US 4 029 759 A (D A ET AL) 14 June 1977 * abstract *	UDIFFRET YVES TOLLARD	1-12	
D,A	US 5 545 424 A (GRE 13 August 1996 (199 * abstract *		1-12	TECHNICAL FIELDS SEARCHED (Int.CL.7)
. *				
			:	
	The present search report has I	been drawn up for all claims		
	Place of search	Date of completion of the search	- 	Examper
	THE HAGUE	16 September 2	003 Dau	ıksch, H
X : part Y : part doc: A : tech O : nor	ATEGORY OF CITED DOCUMENTS ilicularly relevant it taken alone ilicularly relevant if combined with anot ument of the same category inplogleal background written disclosure imediate document	E : earlier pater after the filin ber D : document ci L : document ci	ted in the application ted for other reasons	ished on, or

EP 01 30 8649

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-09-2003

	Patent documented in search		Publication date		Patent family member(s)	Publication date
CN	1103285	A	07-06-1995	NONE		
US	5288497	A	22-02-1994	CA	1338978 C	11-03-1997
				US	4863737 A	05-09-1989
				ÜS	4671953 A	09-06-1987
				AT	129148 T	15-11-1995
				AT	177007 T	15-03-1999
			•	AU	668004 B2	18-04-1996
				AU	5521894 A	28-04-1994
				AU	645265 B2	13-01-1994
,				AU	6287790 A	08-04-1991
		• •		CA	2066423 A1	06-03-1991
			٠.	DE	69023143 D1	23-11-1995
				DE	69023143 T2	28-03-1996
			•	DĒ	69032982 D1	08-04-1999
				DE	69032982 T2	26-08-1999
				DK	490916 T3	04-03-1996
				DK	630647 T3	04-10-1999
				EP	0490916 A1	24-06-1992
				ĒΡ	0630647 A1	28-12-1994
				ĒS	2077686 T3	01-12-1995
				ES	2133448 T3	16-09-1999
				JP	2717024 B2	18-02-1998
			٠,	JP	5503917 T	24-06-1993
				NO	920857 A	06-04-1992
				WO	9103237 A1	21-03-1991
				US	5824334 A	20-10-1998
				US	.5783207 A	21-07-1998
				US	5785989 A	28-07-1998
				AT	116131 T	15-01-1995
			,	CA	1271421 A1	10-07-1990
				CA	1339190 C	29-07-1997
				DE	3650189 D1	09-02-1995
				DE	3650189 T2	04-05-1995
				EP	0200490 A2	05-11-1986
				ΕP	0487520 A1	03-06-1992
				EP	0490891 A1	24-06-1992
				EP	0404205 A1	27-12-1990
				US	4885173 A	05-12-1989
				WO	9103099 A1	07-03-1991
				WO	9103234 A1	21-03-1991
				US	5484602 A	16-01-1996
				US	5132114 A	21-07-1992
				US	5122127 A	16-06-1992
				US	5288498 A	22-02-1994
				US	5855908 A	05-01-1999

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

EP 01 30 8649

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-09-2003

,	Patent docum cited in search r		Publication date		Patent fami member(s		Publication date
IIS	5288497	A	· l · · · · · · · · · · · · · · · · · ·	AT	61729	T	15-04-1991
	0200 (5,	• •		DE	3678195		25-04-1991
				NO	920565		13-02-1992
	9930705	A	24-06-1999	AU	2090099	Δ	05-07-1999
HO	<i>3330703</i>	,,	L4 00 1333	WO .	9930705		24-06-1999
 WO	9323005	Α	25-11-1993	AT	158163	T	15-10-1997
				AU	4116993		13-12-1993
				AU	704226		15-04-1999
		•		AU	7419496	Α	13-02-1997
				BR	9306371	Α .	30-05-1998
			•	CA	2134977	A1	25-11-1993
			•	CN	1084387	A	30-03-1994
				DE		D1	23-10-1997
				DE	69314025	T2	16-04-1998
			·	ΕP	0641187	A1	08-03-1999
			*	FΙ	945411	Α .	17-11-199
				JР	7506868	T	27-07-199
				MX	9302867	Al	01-11-199
				NO	944377	Α .	17-01-199
				NZ	252445		24-03-199
			*	TR	28327		06-05-199
				บร	5451404		19-09-199
				WO	9323005	A1	25-11-199
WO	9913734	A	25-03-1999	WO	9913734		25-03-1999
				AU	4428197		05-04-199
				AU	5726998		05-04-199
			•	BR	9715028		16-10-200
				CA	2303828	Al	25-03-199
				EP	1014805		05-07-200
				EP	1011643		28-06-200 25-03-199
				MO	9913870	Al Al	01-05-200
				US 	2003082271		01-05-200
US	5009893	Α	23-04-1991	CA	2021222		18-01-199
				GB	2233873	A,B	23-01-199
				JP	2923336	B2	26-07-199
				JP 	3053849 	н	07-03-199
GB	1432354	Α	14-04-1976	AT	330362		25-06-197
				AT	626273		15-09-197
				AU	5802073	_	16-01-197
				CH	576240		15-06-197
				DD	105390	AD CA	20-04-197

EP 01 30 8649

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-09-2003

Patent docum		Publication date		Patent family member(s)	Publication date
GB 1432354	. A		DE	2334985 A1	07-02-1974
			EG.	10911 A	31-10-1976
	•		FR	2193603 A1	22-02-1974
	. •		HŪ	167694 B	28-11-1975
:			ΙE	37935 B1	23-11-1977
			IL .	42735 A	28-02-1977
			IT .	· 1048130 B	20-11-1980
•			JP	49085245 A	15-08-1974
			LU	68036 A1	26-09-1973
			NL	7310022 A	22-01-1974
			RO	67322 A2	09-09-1982
	•		US	4070449 A	24-01-1978
•					
	•		BE	802470 A1	18-01-1974
			CA	1027347 A1	07-03-1978
			US .	4032661 A	28-06-1977
		· · · · · ·	ZA	7304772 A	26-06-1974
US 4353896	- A	12-10-1982	NONE		
US 5753270	Α	19-05-1998	CA	1273576 A1	04-09-1990
			AT	88896 T	15-05-1993
			DE	3880769 D1	09-06-1993
			DE	3880769 T2	11-11-1993
			EP	0308210 A1	22-03-1989
		•		1151522 A	14-06-1989
			JP		
			JP 	2668800 B2	27-10-1997
JP 06321743	Α	22-11-1994	NONE		
US 4029759	Α	14-06-1977	AT	. 331415 B	25-08-1976
	-		ΑT	169273 A	15-11-1975
			ΑÚ	466320 B2	23-10-1975
			ΑU	5251473 A	22-08-1974
			BE	795751 A1	21-08-1973
			CA	1007108 A1	22-03-1977
			CH	578841 A5	31-08-1976
			DE	2309256 Al	13-09-1973
	•		FR	2174104 Al	12-10-1973
*			GB	1422272 A	21-01-1976
		•	JP	48098012 A	13-12-1973
			LU	64851 Al	04-09-1973
			NL	7302675 A	30-08-1973
				137476 B	28-11-1977
			NO	13/4/0 B	20 11 13//
 US 5545424		13-08-1996	NO JP	3184075 B2	09-07-2001

EP. 01 30 8649

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

US 5545424 A US 5753609 A 19-05-1998 For more details about this annex : see Official Journal of the European Patent Office, No. 12/82		Patent docum cited in search r	ent eport	Publication date	ļ	Patent family member(s)	Publication date
	US	5545424	Α .		US	5753609 A	19-05-1998
							•
						·	
				•			
			. :				
	٠.		· .		•		
				•			•
				· · · · · · · · · · · · · · · · · · ·			•
						•	•
			•				
	•	•				•	
		•					
	•			<i>†</i>			•
						·	
	•		•	•			
		•	•				
					•		
				•			•
					٠	•	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потирр.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.